

NEW SYNTHETIC ROUTES TO BORON CAGE COMPOUNDS

FINAL REPORT
LARRY G. SNEDDON

February 10, 1985

U. S. ARMY RESEARCH OFFICE
DAAG29-82-K0005

UNIVERSITY OF PENNSYLVANIA

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED



AD-A153 537

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
I. REPORT NUMBER	2. GOVT ACCESSION NO. N/A	
4. TITLE (and Subtitle)	N/A	N/A 5. TYPE OF REPORT & PERIOD COVERED
New Synthetic Routes to Boron Cage Compounds		Final 11/1 5 /81-11/1 5 /84
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(#)		8. CONTRACT OR GRANT NUMBER(*)
Larry G. Sneddon		DAAG29-82-K0005
9. PERFORMING ORGANIZATION NAME AND ADDRESS University of Pennsylvania Department of Chemistry Philadelphia, PA 19104		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
U. S. Army Research Office Post Office Box 12211		12. REPORT DATE February 10, 1985 13. NUMBER OF PAGES
Research Triangle Park NC 27709 14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abetract entered in Black 20, if different from Report)

NA

18. SUPPLEMENTARY NOTES

The view, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation

lesignated by other documentation.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Boranes, Boron Hydrides, Carboranes, Boron

20. ABSTRACT (Continue on reverse state if necessary and identify by block number)

This project was concerned with the development of new synthetic routes to polyhedral boron cage compounds. This work resulted in the development of new synthetic routes to several important classes of compounds, including small cage carboranes, alkenyl-substituted boranes and carboranes, large cage mono-carbon carboranes and multi-cage boranes and carboranes.

Summary of Scientific Goals and Results

Polyhedral boron cage compounds have been recognized as having numerous potentially important practical applications due to their unique chemical and physical properties. Unfortunately this potential has been largely unrealized because of the non-selective, low yield synthetic methods required to obtain these compounds. The principle thrust of the work performed under ARO sponsorship was to investigate the fundamental processes involved in the formation of these types of compounds and to apply these techniques to the development of new high yield, low energy, selective synthetic routes.

Our work has demonstrated (1) new catalytic, high yield syntheses of alkenyl boranes and alkenyl carporanes (2) the high yield thermally initiated conversion of alkenylpentaboranes into small cage carboranes (2) new routes to large cage mono-carbon carboranes (3) new catalytic routes to multi-cage compounds and (4) the synthesis of a range of new hybrid cluster systems with unique structural properties.

These results have been described in detail in the publications and progress reprots listed below:

Publications:

- A.J. Borelli, Jr., J.S. Plotkin and L.G. Sneddon, "Structural Characterization of 6:4',5'-[(η-C₅H₅)Co-2,3-(CH₃)₂C₂B₄H₃][2',3'-(CH₃)₂C₂B₄H₅]: A Coupled-Cage Cobaltacarborane Complex Containing a Three-Center Boron Linkage", Inorg. Chem., 21, 1328-1331 (1982).
- 2. E.W. Corcoran, Jr. and L.G. Sneddon, "Transition Metal Promoted Reactions of Boron Hydrides 4. A One-Step Synthesis of the Coupled Cage Borane, 1:2'-[85H₆]₂", Inorg. Chem., 22, 182 (1983).
- 3. R.J. Astheimer and L.G. Sneddon, "Pyrolysis Reactions of 1,5-C₂B₃H₅ and 1,6-C₂B₄H₆. Isolation of a New Four Carbon Carborane, C₄B₇H₁₁, and the Boron Carbon Bonded Dimer and Trimers of 1,5-C₂B₃H₅. Improved Synthesis of the Mixed Cage Carborane, 2':2'[1',5'-C₂B₃H₄][1,6-C₂B₄H₅]", Inorg. Chem. 22, 1928-1934 (1983).
- 4. R.P. Micciche, J.S. Plotkin and L.G. Sneddon, "Structural Characterization of 3':2-[2',4'-C₂B₅H₆][1,8,5,6-(η-C₅H₅)₂Co₂C₂B₅H₆]: A Coupled-Cage Cobaltacarborane Containing a Boron-Boron Linkage", Inorg. Chem., 22, 1765-1768 (1983).
- R.P. Micciche and L.G. Sneddon, "Metal Atom Synthesis of Metalla-Boron Clusters 3. Synthesis and Structural Characterization of an Arene-Ferracarborane Complex: 1-(η6-CH₃C₆H₅)Fe-2,3 (C₂H₅)₂C₂β₄H₄", Organometallics, 2, 674-678 (1985).
- 6. G.J. Zimmerman and L.G. Sneddon, "Structural Characterization of 1,2 Dimethyl Becyclopentadienylcobalt-2,3-dicarbaoctaborane", Acta Cryst., 639, 896-858 (1983).

- T. Davan, E.W. Corcoran and L.G. Sneddon, "Transition-Metal-Promoted Reactions of Boron Hydrides 5. Palladium Promoted Pentaborane(9)-Olefin Coupling Reactions: A New, Mild Synthetic Route to Alkenylpentaboranes", Organometallics, 2 1693-1694 (1983).
- 8. J.A. Anderson, R.J. Astheimer, J.D. Odom and L.G. Sneddon, "The Use of Nuclear Magnetic Resonance to Investigate Bonding Between Quadrupolar Nuclei. Boron-Boron Spin-Spin Coupling Constants in Linked Polyhedral Borane and Carborane Cages", J. Amer. Chem. Soc., 106, 2275-2283 (1984).
- 9. R.J. Astheimer and L.G. Sneddon, "Photochemical Reactions of Hexafluoro-acetone with Pentaborane(9) and 2,4-Dicarbaheptaborane(7)", Inorg. Chem. 23, 3207-3212 (1984).
- 10. R.J. Micciche, J.J. Briguglio and L.G. Sneddon, "Metal Atom Synthesis of Metalla-Boron Clusters 4. Direct Synthesis of (η⁶-Arene)Ferracarborane Clusters From Alkynes and Boranes. Structural Characterization of Four Carbon (η⁶-Arene)Metallacarboranes: l-[η⁶-(CH₃)₆C₆]Fe-4,5,7,8-(CH₃)₄C₄B₃H₃ and 2-(η⁶-CH₃C₆H₅)Fe-6,7,9,10-(CH₃)₄C₄B₅H₅". Organometallics, 3, 1396-1402 (1984).
- 11. R.J. Micciche, J.J. Briguglio and L.G. Sneddon, "Metal Atom Synthetis of Metalla-Boron Clusters 5. Synthesis of the First (η^6 -Arene)Metallaborane and (η^6 -Arene)Metallaoxaborane Clusters. Structural Characterizations of $5-[\eta^6-C_6(CH_3)_3H_3]FeB_9H_{13}$ and $2-[\eta^6-C_6(CH_3)_3H_3]Fe-6-OB_6H_{10}$ " Inorg. Chem. 23, 3992-3999 (1984).
- 12. E.W. Corcoran, Jr. and L.G. Sneddon, "Transition Metal Promoted Reactions of Boron Hydrides 6. Platinum(II) Bromide Catalyzed Borane and Carborane Dehydrodimerization Reactions: A New Synthetic Route to Boron-Boron Linked Multi-Cage Boranes and Carboranes" J. Amer. Chem. Soc. 106, 7793-7800 (1984).
- 13. J.J. Briguglio and L.G. Sneddon, "Metal Atom Synthesis of Metalla-Boron Clusters 6. Synthesis and Structural Characterization of a Coupled Diborane-Metallacarborane Cluster: 5:1',2'-[1-(η-C₅H₅)Co-2,3-(Me₃Si)₂C₂B₄H₃][B₂H₅]" Organometallics, in press.
- 14. R.J. Micciche, P.J. Carroll and L.G. Sneddon, "Metal Atom Synthesis of Metalla-Boron Clusters 7. Synthesis and Structural Characterication of an Open-Cage Triple-Decker Metallathiaborane Cluster 4,6-(η-C₅H₅)₂-Co₂-3,5-S₂B₂H₂" Organometallics, submitted.
- 15. J.J. Briguglio and L.G. Sneddon, "Metal Atom Synthesis of Metalla-Boron Clusters 8. Synthesis of New Iron, Cobalt and Nickel Clusters Derived From 2,6-C₂B₇H₁₁. Structural Characterizations of $2-[\eta^6-C_6(CH_3)_3H_3]$ Ferl,6-C₂B₇H₉,6-[$\eta^6-C_6(CH_3)_3H_3$]Ferl,6-C₂B₇H₉,6-[$\eta^6-C_6(CH_3)_3H_3$]Ferl,6-C₂B₇H₁₁ and 5,7,8-(CH₃)₃ 11,7,8,10 [$\eta^3-C_4(CH_3)_4H$]NiC₃B₇H₇" in preparation.

Progress Reports

No.

- 1. 1/1/82-6/30/82
- 2. 7/1/82-12/31/82
- 3. 1/1/83-6/30/83
- 4. 7/1/83-12/31/83
- 5. 1/1/84-6/30/84

Participating Scientific Personnel

Larry G. Sneddon, Principal Investigator Thomas Davan, Postdoctoral Ned Corcoran, Graduate Students Robin Ernest Mario Mirabelli Robert Astheimer

Accession For	
NTIS GRAŁI DTIC TAB Unannounced Justification	
By	8#1G
Availability Codes	COPT
Avail and/or Pint Special	